

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

I&CAD Department – Representation of Hon'ble Minister for Major and Medium Irrigation, Local MLAs and Farmers of Nizamabad District during the visit of Hon'ble Chief Minister's visit to Bodhan Rythusadassu – Allocate 1.00 TMC of water in addition to Argula Rajaram Guthpa Lift Irrigation Scheme and 1.50 TMC of water to Alisagar Lift Irrigation Scheme in addition from savings of water available due to withdrawal of 6.5 TMC of earlier allocation to NTPC at Ramagundam - Orders – Issued.

IRRIGATION & CAD (IW-WRG) DEPARTMENT

G.O. Ms. No.5.

Dated: 12.02.2014

Read the following:

1. From the Engineer- in - Chief (Irrigation), Hyderabad, Lr. No. ENC(I)/Genl/2013-5, dated: 15.05.2013.
2. Govt. Memo.No.11762/WRG/2013-2, dated 3.6.2013.
3. From the Engineer- in - Chief (Irrigation), Hyderabad, Lr.No. ENC(I)/DCE.I/ OT5/ AEE6/ 56247/ 89/ Vol.17, dated:27.01.2014.

ORDER:

In the reference 1st read above, the Engineer- in - Chief (Irrigation), Hyderabad, has submitted a report for allocation of water to Argula Rajaram Guthpa Lift Irrigation Scheme and Alisagar Lift Irrigation Scheme based on the announcement of Hon'ble Chief Minister, during his visit to Nizamabad District in connection with Rythusadassu programme at Bodhan.

2. In the reference 3rd read above, the Engineer- in - Chief (Irrigation), Hyderabad, states that, there is an allocation of 7.90 TMC of water to NTPC from SRSP through Kakatiya Canal and that, 6.50 TMC (out of 7.90 TMC allotted water to NTPC from SRSP) of water is now allocated and being supplied from Sripada Yellampally Project through a lift scheme to NTPC Lift. He requests for additional allotment of 1.0 TMC of water to Argula Rajaram Guthpa Lift Irrigation Scheme and 1.50 TMC of water to Alisagar Lift Irrigation Scheme from the savings of SRSP water earlier given to NTPC from Kakatiya canal of SRSP.

3. Government, after examining the proposal of the Engineer-in- Chief, (Irrigation), Hyderabad, allocate 1.00 TMC of water in addition to the original allocation of 1.952 TMC to Argula Rajaram Guthpa Lift Irrigation Scheme and 1.50 TMC of water to Alisagar Lift Irrigation Scheme in addition to the original allocation of 2.847 TMC from savings of water available due to withdrawal of 6.5 TMC of earlier allocation to NTPC at Ramagundam.

4. The Engineer- in - Chief (Irrigation), Hyderabad, shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

B. ARAVINDA REDDY,
Spl. CHIEF SECRETARY TO GOVERNMENT (FAC).

To
The Engineer- in - Chief (Irrigation), Hyderabad.

Copy to:

The O.S.D to Hon'ble Minister for Major & Medium Irrigation.
The P.S. to Spl. Chief Secretary to Govt. (FAC), I&CAD Dept.
SC/SF.

// FORWARDED BY ORDER //

SECTION OFFICER.